


LATIME SAPATURA = "B"
 "B" = $De + 40\text{ cm}$ pentru tuburi cu $De < 400\text{ mm}$

- 1 Umplutura compactare mecanizata
 Grad de compactare 92-95 %
 Pamant afanat cu granulatie de 5 cm
- 2 Umplutura compactare mecanizata
 Grad de compactare 90 %
 Pamant afanat cu granulatie de 5 cm
- 3 Nisip cu granulatie 0-10 mm
 Compactat manual
 Grad de compactare 80...90 %
- 4 Teava PVC-KG Sn4 Kpa
 $\text{Ø}110 \times 3,2\text{mm}$, $\text{Ø}160 \times 4\text{mm}$



VERIFICATOR/ EXPERT	NUME	SEMNATURA	CERINTA	REFERAT/EXPERTIZA NR./DATA	
S.C. PROCIVIL S.R.L. Nr RC - J21 / 410 / 1996				Beneficiar:	COMUNA SARATENI JUD. IALOMITA
				Proiect nr:	211/2024
SPECIFICATIE	NUME	SEMNATURA	Scara:	Titlu proiect:	FAZA: D.T.A.C.
SEF PROIECT	Sing. Anghel Costel			RACORDURI LA RETEAUA DE CANALIZARE COMUNA SARATENI, JUD. IALOMITA	
PROIECTAT	Sing. Anghel Costel		Data:	Titlu plansa:	Plansa nr:
DESENAT	Th. Ivanovici Florian		2024	DETALIU POZARE TUB PVC-KG $\text{Ø}110 \times 3,2\text{mm}$	CH04